

Date: January 29, 2024

Re: New 2024 Read-mix / Aggregate Pricelist

# Dear Valued Customer,

Please see attached price list effective February 1, 2024, for both ready-mix concrete and aggregate. We apologize for the untimeliness of the pricelist however, recent cost impacts to our business have prompted us to publish it immediately.

We understand that the newly published pricing may impact prior bids and ask that you call our sales team (808-483-3300) to discuss any concerns that you have. Please note that the pricelist will not impact proposals that have previously provided, acknowledged, and approved.

Please know that we, like you, are doing our very best to manage cost in an unstable and volatile marketplace while providing you with a quality product and superior service. We understand that you have a choice of suppliers, we are determined to meet your expectations and remain your supplier of choice. Your patronage is greatly appreciated and never taken for granted.

Mahalo!

Gavin J. Shiraki

Hawaiian Cement \

General Manager of Sales

Oahu Concrete and Aggregate Division



OAHU CONCRETE & AGGREGATE DIVISION 99-1300 HALAWA VALLEY STREET AIEA, HAWAII 96701-3289

PHONE: 808-483-3300 FAX: 808-486-7587

INFORMATION AND QUOTES:

808-483-3300

808-483-3382

808-483-3384

CONCRETE DISPATCH:

**FUTURE ORDERS** 

808-483-3358

DAILY DISPATCH

808-483-3355

AGGREGATE DISPATCH:

808-483-3347

**FEBRUARY 1, 2024** 

PRICES ARE SUBJECT TO CHANGE AT ANYTIME

PRICE SCHEDULE
ZONE DIRECTORY
ZONE MAP
TERMS AND CONDITIONS OF SALE

# **CONTRACTOR CONCRETE PRICE LIST: FEBRUARY 1, 2024**

# **PERFORMANCE CONCRETE MIXES**

AGGREGATE SIZE 1"

CLASS	2000#	2500#	3000#	3500#	4000#	4500#	5000#	5500#	6000#	MIN. DEL.
ZONE										
PLANT	216.55	217.95	220.75	223.55	227.75	231.95	236.15	240.35	246.20	
1	236.55	237.95	240.75	243.55	247.75	251.95	256.15	260.35	266.20	158.65
2	238.30	239.70	242.50	245.30	249.50	253.70	257.90	262.10	267.95	164.65
3	240.05	241.45	244.25	247.05	251.25	255.45	259.65	263.85	269.70	177.00
4	241.80	243.20	246.00	248.80	253.00	257.20	261.40	265.60	271.45	187.65
5	243.55	244.95	247.75	250.55	254.75	258.95	263.15	267.35	273.20	199.00
6	245.30	246.70	249.50	252.30	256.50	260.70	264.90	269.10	274.95	205.00
7	247.05	248.45	251.25	254.05	258.25	262.45	266.65	270.85	276.70	215.95
8	248.80	250.20	253.00	255.80	260.00	264.20	268.40	272.60	278.45	227.00

### ADDITIONAL CHARGES:

3/4" AGGR	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	
3/4" PUMP	*	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
GROUT PM	*	17.15	17.70	*	22.50	25.70	27.85	•	•	

NOT APPLICABLE

#### **GOVERNMENT CONCRETE MIXES**

PRICE SCHEDULE

	T RICE DOLLEDGE											
CLASS	C&C:C 2000#	SHY'S 2000#	C&C:B 2500#	DAGS:8 2500#	DWS: 2500#	C&C:A 3000#	SHWY:B 2500#	DWS:C 2000#	DAG5:A 3000#	MIN. DEL.		
ZONE												
PLANT	219.35	222.15	223.25	223.55	224.95	225.50	225.25	226.35	227.50			
1	239.35	242.15	243.25	243.55	244.95	245.50	245.25	246.35	247.50	158.65		
2	241.10	243.90	245.00	245.30	246.70	247.25	247.00	248.10	249.25	164.65		
3	242.85	245.65	246.75	247.05	248.45	249.00	248.75	249.85	251.00	177.00		
4	244.60	247.40	248.50	248.80	250.20	250.75	250.50	251.60	252.75	187.65		
5	246.35	249.15	250.25	250.55	251.95	252.50	252.25	253.35	254.50	199.00		
6	248.10	250.90	252.00	252.30	253.70	254.25	254.00	255.10	256.25	205.00		
7	249.85	252.65	253.75	254.05	255.45	256.00	255.75	256.85	258.00	215.95		
8	<u>25</u> 1.60	254.40	255.50	255.80	257.20	257.75	257.50	258.60	259.75	227,00		
ADDITIONAL C	ADDITIONAL CHARGES:											
3/4" AGGR.	1.50	*	1.50		*	1.50	*	*	*			
3/4" PUMP	3.00	*	3.00	*		3.00	*		*			

CLASS	SHWY:A	DWS: 3500#	C&C:AA 3500#	DAGS: 4000#	SHWY:BD 3750#	SHWY: SEAL 9000#	C&C:AAA 4000#	DW8:4000# 3/4" Agg.	DWS:3000 #3/4" M	MIN. DEL.
ZONE										
PLANT	229.15	230.25	230.55	232.25	231.95	232.50	233.35	237.15	234.75	
1	249.15	250.25	250.55	252.25	251.95	252.50	253.35	257.15	254.75	158.65
2	250.90	252.00	252.30	254.00	253.70	254.25	255.10	258.90	256.50	164.65
3	252.65	253.75	254.05	255.75	255.45	256.00	256.85	260.65	258.25	177.00
4	254.40	255.50	255.80	257.50	257.20	257.75	258.60	262.40	260.00	187.69
5	256.15	257.25	257.55	259.25	258.95	259.50	260.35	264.15	261.75	199.00
6	257.90	259.00	259.30	261.00	260.70	261.25	262.10	265.90	263.50	205.00
7	259.65	260.75	261.05	262.75	262.45	263.00	263.85	267.65	265.25	215.95
8	261.40	262.50	262.80	264.50	264.20	264.75	265.60	269.40	267.00	227.00
DITIONAL (	CHARGES:	<u> </u>								

ADDITIONAL CHA	RGES:									
3/4" AGGR.	*	*	1.50	*	*	1.50	1.50	*	*	
3/4" PUMP	*	*	3.00	*	•	3.00	3.00	*	*	

<sup>\*</sup> not applicable

Notes:

For deliveries less than 6 cubic yards, use plant prices plus minimum delivery charge. (Minimum sale Is one (1) cubic yard)

Allowable unload time for concrete is 5 minutes per cu. yd. or 30 minutes per load. Excess time will be charged at \$2.50 per minute.

Non-Contractor's Price: Add \$8.00 per cubic yard.

Premiums for Saturdays and after regular hours may be charged.

Dry Mix FOB Halawa Plant: Contractor price \$107.20/cy. \$113.40/cy. for non-contractors. Also available with cement, call for quote.

Dry Mix PUB Halawa Plant: Contractor price \$107.20/cy. \$113.40/cy, for non-contractors. Also available with cement, call I All Sales Subject to Terms and Conditions, attached.

We will be pleased to provide written quotations upon request.

Onsite dosing of superplasticizer (HRWR) is available at a cost of \$3.00 per inch of slump per cubic yard.

Effective February 1, 2024 / Rreplaces January 1, 2023 concrete price list / Prices are subject to change at anytime.

# **Zone Directory**

	Zone		Zone
Aiea Hts		Pacific Palisades	4
Barbers Point NAS		Pearl City	
Camp Smith (Halawa)		Pearl City Hts (above Hoomalu)	
Campbell Industrial Park	4	Pearl City Peninsula	3
Crestview	3	Pearl Ridge (below H-1)	2
Ewa	4	Pearl Ridge (above H-1)	3
Ewa Beach	4	Pupukea (lower)	
Ford Island		Pupukea (upper)	19
Halawa Hts	1	Schofield (1) (lower)	
Haleiwa		Schofield (upper)	6
Helemano Radio Station		Sunset Beach	16
Iroquois Point		Village Park	
Kahe		Wahiawa	4
Kapolei		Wahiawa Hts (Kellog to Kalie)	
Kawailoa (lower)	14	Wahiawa Uplands (above Kalie)	
Kawailoa (upper)	14	Waialee	
Kawela Bay		Waialua	
Ko'olina (West Beach)		Wajanas	
Kunia		Waianae	9
Lualualei (Radio Station)		Waiawa Gulch	2
The state of the s			
Maili		Waikele	
Makaha		Waimalu	3
Makakilo		Waimea Bay	18
Makua		Waipahu	3
Mililani		Waipio Acres	4
Mokuleia		West Loch	5
Momilani		Wheeler Field	5
Nanakuli		Whitmore Village	5
Newtown	3		
(1) Bounded by McMahon, Capron			
Win	awara (Haiku Ko	oad to Kahuku Point)	
Haiku Rd. to Heeia Long Bridge			4
Heeia Long Bridge to Hygienic Store.			5
Hygienic Store to Waiahole Road			6
Waiahole Rd. to Chang's Enterprise			7
Chang's Enterprise to Old Sugar Mill			8
Old Sugar Mill to Kaawa Beach Park.			9
Kaawa Beach Park to Pat's at Punali	UU		11
Sacred Hearts Seminary to Polynesia	n Cultural Cente	r	13
Polynesian Cultural Center to Kahuku	Point		14
		Road to Niu Valley)	
244	nawara (naiku i	todd to Niu Valley)	
Haiku Rd. to KMCBH Gate and all Ka	ilua		4
MCBH			5
C&C Base Yard to Sea Life Park			6
Sea Life Park to Niu Valley	*******************		7
Niu Valley to Kalani School			6
그 아이는 내가 하면 하면 하면 이 사람들이 되었다. 그 사람들은 사람들은 사람들이 되었다면 하는 것이 되었다.			A 55 A 54 C 7 L 65 T

#### 1. STRENGTH AND QUALITY:

Compressive strength is guaranteed in accordance with current A.S.T.M. Standard C-94 for concrete delivered with slumps up to a maximum of 4" or design slump tolerances. Where the customer requests concrete of greater slump than specified, the strength is not guaranteed unless the additional cement required to maintain the designed water-cement ratio / strength is added and charged accordingly. The Seller is not responsible for the slump, strength, and quality of any concrete to which water or other material has been added by the customer outside of the approved submittal. The Seller does not guarantee finished work.

#### 2. ARCHITECTURAL CONCRETE DISCLAIMER:

Due to inconsistencies in raw materials, we disclaim any responsibility for color, texture and other variations in architectural concrete. Furthermore, forming, placing, finishing, including sandblasting and washed exposures, greatly affect the final appearance of architectural concrete. Therefore, we guarantee only that concrete will be batched according to mix design.

#### YIELD:

The Seller will not guarantee "in place" yield, "in the form" yield, or any other yield calculation except by measurement in accordance with A.S.T.M. Designation C-138.

#### 4. SAMPLING AND TESTING:

All sampling and testing shall be performed by an ACI certified field technician and in accordance with A.S.T.M. C-94 Standards. Unless specifically stated, prices do not include costs for additional testing or other engineering services. A charge will be made for taking, handling, storing and testing concrete cylinders.

## 5. CEMENT AND AGGREGATE:

Prices are based on use of standard Type I / II Portland Cement in "bulk", and standard local aggregates with 1" top size. Please contact us for the pricing of mixes not covered in this document.

#### 6. OVERTIME AND HOLIDAY DELIVERIES:

The regular workday for all concrete deliveries is between the hours of 5:00 A.M. and 3:30 P.M., Mondays through Fridays. Saturday is not considered a regular workday; scheduling will be determined by the availability of driver hours per Federal DOT Law. There will be an overtime charge for deliveries scheduled to commence before 5:00 A.M. and after 3:30 P.M., Mondays through Fridays, and on Saturdays unless otherwise specified by Seller in writing or agreed to by Seller in an executed material contract.

#### 7. DETENTION OF TRUCKS AT THE JOB SITE:

Concrete delivered prices are based on five (5) minutes free unloading time per cubic yard or thirty (30) minutes free unloading time per load, whichever is greater. Unloading delays of more than five (5) minutes per cubic yard or thirty (30) minutes per load will be charged to the customer at the rate of Two Dollars and Zero Cents (\$2.00) per minute for all such excess unloading time.

#### 8. WASHDOWN AREA:

The customer agrees to provide an area on the delivery site, proximate to the delivery location, for the cleaning and washdown of transit mixer concrete chutes and hopper following the completion of discharge. Should the customer fail to provide or specify an area for cleaning and washdown, Seller may assume that the entire job site is available for such cleaning and washdown. Seller will not assume liability for any damage, trespass or violation as a result of this cleaning and washdown, and the customer agrees to indemnify and hold Hawaiian Cement harmless against all liabilities, loss and expense incurred as a result of any damage or trespass caused by such cleaning and washdown.

#### 9. DELIVERY:

Prices are f.o.b. job site, over suitable access roads. The Seller reserves the right to stop delivery if access roads are not suitable. When the customer orders delivery beyond the street curb, he assumes responsibility for damage to sidewalks, driveways, or other property, and agrees to indemnify and hold the Seller harmless against all liabilities, loss and expense incurred as a result of such deliveries. All delivered concrete prices are for loads of six (6) or more cubic yards. For less than six (6) cubic yards, an additional minimum delivery charge will be made. One cleanup load may be allowed for each day's pour, at each job, at job prices per Seller's discretion. All additional cleanup loads will be charged at minimum delivery rates. The size of concrete loads in excess of six (6) cubic yards will be at the option of the Seller. All concrete correctly dispatched and with delivery underway will be charged to the customer.

#### 10. TAX:

Applicable State Gross Income Tax will be charged on all sales unless agreed otherwise by Seller in an executed material contract.

#### 11. TERMS:

Payment on all purchases is due not later than thirty (30) days following the last day of the month in which the purchase was made. All balances not paid within thirty (30) days will be considered delinquent and shall bear interest at the rate of one and one-half percent (1%%) per month from and after the first day the same became delinquent. A prompt payment discount of one percent (1%) will be allowed on all payments received by the 10th of the month following purchase, provided that all previous charges have been paid in full.

12. PRICE DURATION: Prices are subject to immediate change in select's sole and reasonable discretion, for any reason, including but not limited to any increase of cement prices, fuel, or power to seller by it's suppliers. If sacked cement is used because of unavailability of bulk, prices will be increased. Prices, terms and conditions are for the periods set forth in this proposal providing they are accepted within thirty (30) days of quotation date, and substantial work begins within ninety (90) days from quotation date and continues uninterrupted until completion. Extension of the time period will be cause for renegotiating prices.

### 13. DELAYS:

The Seller will not be responsible for failure to make delivery when prevented by strikes, lockouts or other labor troubles, accidents or necessary repairs to machinery, fires, flood, adverse weather conditions, or by reasons of any other contingencies beyond the Seller's control. Seller will not be responsible for allocations or priorities that may be imposed by its suppliers.

14. EXCEPTIONS AND CLAIMS shall be deemed waived unless made in writing within ten (10) days from time of delivery. Seller shall be given full opportunity to investigate claims.

# CONTRACTOR AGGREGATE PRICE LIST: FEBRUARY 1, 2024 F.O.B. HALAWA PLANT

PRICE SCHEDULE

PRODUCT SPECIFICATION		NOMINAL SIZE	P	RICE PER	EST. TON/CU.	EST. PRICE/CU.	
PRODUCT	SPECIFICATION	RANGE		TON	YD.		YD.
GRADE A: BASALT	ASTM C33			W. Transfer			
SURGE **			\$	56.10			
#3 Coarse*	SIZE 5	1"-1/2"		52.20	1.22	\$	63.70
#3 FINE	SIZE 67	3/4"-#4		52.20	1.12		58.50
3/8" CHIPS	SIZE 8	3/8"-#8		52.20	1.14		59.50
STATE #4	FINE	#4-0		56.00	1.19		66.60
4X8 SAND DRAIN		3/8" x no.8		47.85	1.05		50.20
GRADE B: BASALT	ASTM D448						
SURGE**		4" x 0	\$	46.50			
#2B COARSE	SIZE 4	1-1/2" - 3/4"		46.50	1.00	\$	46.50
#3B COARSE*	SIZE 5	1"-1/2"		46.50	1.00		46.50
#3B FINE	Size 67	3/4"-#4		46.50	1.09		50.70
S4C		3/8"-0		46.50	1.20		55.80
STATE BASE COARSE	DOT 703.06	1-1/2"-0		45.60	1.30		59.30
SELECT BORROW	DOT 703.17	2-1/2"/0"		41.20	1.31		54.00
3" IMPORT BORROW		3" /0		20.50	1.08		22.10
SELECT BACKFILL		3"-0		17.50	1.26		22.10
SAND/CINDER							
BLEND SAND* ***	· ·	#8-0	\$	94.00	1.23	\$	115.60
WASHED FILL SAND		#4-0		39.00	1.17		45.60
CINDER* ***		5/8"-0		165.80	0.64		106.10

<sup>\*</sup>NON STOCK ITEM- CALL FOR AVAILABILITY

# MISCELLANEOUS:

VEHICLE SCALE CHARGE: \$39.75 EACH,

#### NOTES:

SALE OF MATERIALS IS LIMITED TO AVAILABILITY AT THE TIME OF PURCHASE.

MINIMUM SALE IS ONE (1) TON.

SUBJECT TO STANDARD TERMS & CONDITIONS.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

SCALE HOUSE HOURS ARE FROM 7:00 AM TO 3:00 PM, MONDAY THRU FRIDAY.

(SATURDAY OPENING AVAILABLE UPON REQUEST - A MINIMUM VOLUME MAY BE REQUIRED )

EFFECTIVE FEBRUARY 1, 2024 / REPLACES JANUARY 1, 2023 AGGREGATE PRICE LIST / PRICES ARE SUBJECT TO CHANGE AT ANYTIME.

<sup>\*\*</sup> CALL FOR SIZE, PRICE AND AVAILABILITY

<sup>\*\*\*</sup>PRODUCTS SUBJECT TO FUEL SURCHARGES

# TERMS AND CONDITIONS OF AGGREGATE SALES

#### 1. SPECIFICATIONS:

Unless otherwise specified, materials are produced according to A.S.T.M. Standards or to job specifications upon request. Seller will not be responsible for in place gradation requirements or specifications.

#### 2. DELAYS:

The Seller will not be responsible for failure to provide material or make deliveries when prevented by strikes, lockouts or other labor troubles, accidents or necessary repairs to machinery, fires, flood, adverse weather conditions, or by reasons of any other contingencies beyond the Seller's control.

 EXEMPTIONS AND CLAIMS shall be deemed waived unless made in writing within ten (10) days from time of delivery. We shall be given full opportunity to investigate claims.

#### TERMS:

Payment on all purchases is due not later than thirty (30) days following the last day of the month in which the purchase was made. All balances not paid within thirty (30) days will be considered delinquent and shall bear interest at the rate of one and one-half percent (1½%) per month from and after the first day the same became delinquent. A prompt payment discount of one percent (1%) will be allowed on all payments received by the 10th of the month following purchase, provided that all previous charges have been paid in full.

#### 5 TAX

Applicable State Gross Income Tax will be charged on all sales unless agreed otherwise by Seller in an executed material contract.



# **HAWAILAN CEMENT'S STATEMENT OF MISSION**

**E HO'OKUMU —IS** SYNONYMOUS WITH SOLID FOUNDATIONS AND DURABLE STRUCTURES.

WE STRIVE TO BUILD AN ORGANIZATION OF CARING INDIVIDUALS THROUGH THE FOLLOWING VALUES:

**ALOHA** - WE SINCERELY ACCEPT THE UNIQUENESS OF EVERY INDIVIDUAL, WORKING TOGETHER IN HARMONY.

**TRUST**- WE BUILD LASTING RELATIONSHIPS THROUGH HONESTY, FAIRNESS, AND RESPECT FOR EVERY INDIVIDUAL.

**EXCELLENCE**- WE ARE COMMITTED TO EXCEEDING OUR CUSTOMER'S EXPECTATION WITH A POSITIVE ATTITUDE AND AN OPEN HEART.

**ADAPTABILITY**- WE EMBRACE THE OPPORTUNITIES THAT ARE GIVEN TO US TO BE THE BEST THAT WE CAN BE, LEARNING FROM OUR MISTAKES AND IMPROVING OUR PERFORMANCE AND OUR VISION.

# **OTHER HAWAIIAN CEMENT LOCATIONS**

### MAIN OFFICE

99-1300 HALAWA VALLEY STREET AIEA, HI 96701 PHONE: 808-532-3400

FAX: 808-532-3499

# **CEMENT DIVISION**

99-1300 HALAWA VALLEY STREET

PHONE: 808-673-4200 FAX: 808-673-4221

# **MAUI CONCRETE & AGGREGATES**

P O Box 488, Kahului HI 96733-6988

PHONE: 808-871-7004 FAX: 808-877-7414